Global Markets













- Building 5C, Skyworth Innovation Industry Park, Tangtou 1st Road, Baoan District, Shenzhen, P.R.China
- +86 755-26072286
- @ info@amoulmed.com















Small yet Powerful

- · Lightweight at less than 6.2 kg, easy to carry with just one hand
- · 10.4-inch color touch screen, clear and intuitive
- Allow for a visual display of patient monitoring data on a secondary monitor, separate from the primary monitor
- Rugged and durable, ideal choice for extreme environments like shocks, vibrations, rain, and dust

Turbine-driven with Optimal Performance

Advanced turbine technology

· A powerful, quiet turbine that offers constant ventilation move up a little

Quick, intuitive use

· Clear and easy-to-use interface, simplifying your work and saving time to therapy

Safe and reliable measurement

 Proximal flow sensor solution allows to measure flow and pressure close to the patient's airway with high accuracy





Volume controlled ventilation modes: IPPV, V-A/C, V-SIMV

• Pressure controlled ventilation modes: PCV, P-A/C, P-SIMV,

• Spontaneous mode: CPAP/PSV


• Advanced modes: PRVC, PRVC-SIMV, APRV, BiPPV

• High-flow oxygen therapy mode: HFNC

Configurations	● Standard ○ Optional
A minimum tidal volume of 2 ml	0
Basic Ventilation Modes: V-A/C, IPPV, V-SIMV, PCV, P-A/C, P-SIMV, CPAP/PSV, CPR	•
Advanced Ventilation Modes: PRVC, PRVC-SIMV, APRV, BIPPV	0
HFNC	0
Trends, waveforms, loops, CPR, suctioning maneuver, medication nebulization, dynamic lung	•
P-V tool, lung recruitment	0
Transport and stationary solution (Trolley, humidifier, support arm)	0
EtCO2 module	0

Note: Configurations in the table above are subject to change without prior notice.







Intuitive, easy-to-use and versatile

Ergonomic and Intuitive User Interface

- Allow easy and precise control of waveforms, loops, and parameter settings

Advanced Functions

- HFNC, CPR, lung recruitment, dynamic lung, P-V tool, and P0.1

Innovative and Safe Treatment

- The system is completed with a medical device AC power supply and internal high-capacity rechargeable battery. It also allows operation and rapid charging with the power source of a ground vehicle
- High-pressure and low-pressure oxygen sources

Excellent After Sales Support

- Detachable breathing valve to prevent cross-infection after autoclave sterilization
- Medical flow sensor allows to be disinfected many times
- Bedside hook supports for easy transfer

Integrated Trolley Support System

- · Sleek, stable and highly mobile, this trolley is an all-in-one, comprehensive solution
- · Easy to assemble and disassemble components on the trolley
- · Hold a full range of compatible accessories
- Provide great convenience and ease-of-use when ventilating and moving patients

Easy to install

The trolley is designed to easily hold or remove ventilator and accessories, including oxygen cylinders, a humidifier, a circuit support arm and breathing circuits.



CO2 module



Humidifier



Two emergency oxygen cylinders



Breathing circuits

